# AC1200 Dual Band Smart Home Wi-Fi System Model No.: T6\_V2

Web site <u>www.zioncom.net</u>

| Address BLDG A1&A2, Lantian Technology Park, Xinyu Rd, Xinqiao Henggang Block, Shajing St, Baoan District, Shenzhen 518125, China

E-MAIL <u>sales@zioncom.net</u>

Information in this document is subject to change without prior notice







			Document Control		Etc
TOTOLINK Model Product Category		T6_V2			
		AC1200 Dual Band Smart Home Wi-Fi Router			
Release Date		2019-11-14			
Version	Date	Description	Author	Verifier	
V1.0	2019-11-14	Spec	Summer		
V1.1	2020-02-19	Update the content	Summer		



# **Product Design**





## **Overview**

T6 wireless dual band router is specially designed for creating a smart home Wi-Fi system. With 1167Mbps dual band concurrent Wi-Fi and one click auto connection functions, T6 easily and efficiently effectuates the Wi-Fi Coverage even under big flats, multiple floors, etc complicated environments.

#### **Extremely High Speed Wi-Fi**

Complied with the latest 802.11ac standards, T6 delivers wireless speed up to 1167Mbps, ideal for music, HD video and online gaming.

#### **Beamforming Technology**

With Beamforming technology, T6 intensively transmits wireless signal to the wireless connected devices, improving the bandwidth efficiency.

#### Plug and play

Factory default Mesh pairing (one master one slave). No need to manually configure again, easy to operate, simple layout

#### **Simultaneous Dual Band**

Complied with the latest IEEE 802.11ac standards, T6 delivers wireless dual band speed up to 1167Mbps, of which the 2.4G Wi-Fi shows high compatibility and 5G Wi-Fi shows great anti-interference feature, ideal for lag-free games and large-file downloading.

## IPTV helps to catch the latest teleplay

Enjoy the popular movies and the latest teleplay with your families. T6 is your ideal cost-effective solution to enjoy the Streaming Media at home.



#### **Multiple SSIDs for creating Guest Network**

Supports to share Internet with other people by creating Guest Network via multiple SSIDs. The new created Guest Network provides secure access for the coming guests to use Wi-Fi without degrading the performance of your private network.

### **APP for remote management**

With the latest TOTOLINK APP in hand, managing routers has never been so easier. From the base setup to advanced personal settings, users can access and configure the router anywhere and anytime on their smartphone.

#### **Domain access for Quick Setup**

T6 allows the users to configure the router via a specified website http://itotolink.net, no need to remember the lengthy IP address any more.



#### **Features**

- Complies with the latest IEEE 802.11ac Wi-Fi standards.
- 867Mbps on 5GHz and 300Mbps on 2.4GHz band for total 1167Mbps simultaneously.
- Intelligent Beamforming helps to transmit the wireless signal intensively and improve the bandwidth efficiency.
- Supports DHCP, Static IP, PPPoE, PPTP and L2TP broadband functions.
- Provides WPA/WPA2 mixed security.
- QoS: Bandwidth Control based on IP address.
- IPTV function allows to enjoy online movies at home.
- Bright and white design with compact size.
- Plug and play, Default master-slave router has Mesh connection and does not need to be manually configured.



## **Specification**

Hardware				
Interface	- 2 *100Mbps LAN Ports - 1 *100Mbps WAN Port			
Power Supply	- 9VDC/0.8A			
Button	- 1 *Mesh Button - 1* RST Button			
LED Indicators	- 1 *Status			
Antenna	- 2 *Internal Antennas (2.4G/5G)			
Dimensions (L x W x H)	- 89 x 89 x 68.5mm			
Wireless				
Standards	- IEEE 802.11ac, IEEE 802.11a, IEEE 802.11b, IEEE 802.11g ,IEEE 802.11n, IE EE 802.11s			
RF Frequency	- 2.4GHz/5GHz			
Data Rate	- 2.4GHz: Up to 300Mbps - 5GHz: Up to 867Mbps			
EIRP	- 2.4GHz < 20dBm			
	- 5GHz < 20dBm			
Wireless Security	- WPA/WPA2 mixed			
Reception Sensitivity	- 2.4G: 11b: <-81dbm; 11g: <-68dbm; 11n: HT20<-65dbm HT40: <-62dbm - 5G: 11a:<-68dbm; 11n: HT20<-65dbm HT40: <-62dbm 11ac: <-51dbm			

Software				
Operation Mode	- Mesh Mode			
Home	- Quick Setup - Basic setup - Advanced setup - QR Code - Logout - Reboot			
Mesh setting	- Mesh Networking - Mesh Topology - Roaming - Clear default pairing			
Network	- WAN Setting - LAN Setting - IP/MAC Binding - DDNS Setting - IPTV Setting			
• Static IP, DHCP, PPPoE/Russia PPPoE, PPTP/Russia PP 2TP/Russia L2TP				
Wireless	- Basic setup - Guest Network(Multiple SSID)			
QoS	- Up/Down speed control on WAN, Bandwidth control based on I P address			
Security	- MAC Filtering - IP/Port Filtering - URL Filtering			
NAT	- Virtual Server(Port Forwarding) - DMZ - VPN passthrough			
Tools	- Upgrade Firmware - Time Setup - Remote manageme - Password Settings - Reboot Schedule - System Log and so or			
Others				
Package Contents	- T6 Wireless Router *1 - Power Adapter *1 - Ethernet Cable *1 - Quick Installation Guide *1 Remark: This product 2 in 1 package(Default), the above list is only for reference.			
Environment	- Operating Temperature: 0°C~50 °C (32 °F~122°F) - Storage Temperature: -40°C~70 °C (-40 °F~158°F) - Operating Humidity: 10%~90% non-condensing - Storage Humidity: 5%~90% non-condensing			